


## Compost and Mulch Water Conservation & GHG Literature Review January 2015

### Overview of the Soil, Water, Plant System:

The research performed on the effect of high organic matter for various cultivars using both irrigation and non-irrigated systems continues to grow. What is evident from the research data to date, however, is that *the water holding capacity is greatly increased by adding organic matter*. This, in turn, translates into 2-2.5 times the plant available water compared to un-amended soils. This is significant for California growing applications (agriculture, landscape and irrigated working lands), which constitute over 80 percent of its managed lands, and 90% of California's human (i.e. non-environmental) water use. The opportunity to save water in agriculture and landscape, is therefore very significant, especially in drought years.


We derive these increased water holding capacity numbers by comparing organic matter content with available water content. Hudson (1994; Figure 1) demonstrated that as organic matter content increases, available water content also increases. As soil organic matter approaches five percent, available water content approaches 30 percent.



**Figure 1. Available soil water content in sand, silt loam, and silty clay loam soils relative to organic matter content (Adapted from Hudson, 1994).<sup>i</sup>**

In turn, plant available water increases with an increase in the soil organic carbon (Hudson, 1994; Figure 2). In fact, as the soil organic carbon (the carbon fraction of soil organic matter) increases by a factor of four, the plant available water increases by about 2.5 times.<sup>ii</sup>

## Compost and Mulch Water Conservation & GHG Literature Review January 2015



**Figure 2. Plant-available water increases with increasing soil water content and organic carbon (Frankluebbbers, 2010; Hudson, 1994; <http://irrigatedag.wsu.edu/soil-organic-matter-boosts-water-holding-capacity/>).**

In a review of over 100 studies analyzing the ability of compost and mulch to conserve water either by reducing irrigation needs, increasing soil available water (SAW), or increasing water use efficiency (WUE), all of the studies demonstrated some increase in water conservation either quantitatively or qualitatively. Compost can be comprised of a number of different material types, such as yard trimmings, food, manure, straw, and biosolids. Mulch has similar variations in material types, such as shredded bark, redwood chips, and straw. Often in these studies uncomposted materials are applied as mulch. For the purposes of this analysis, compost will be considered to be any organic materials (organic in nature, not certified organic) that are incorporated into the soil, and mulch will be considered anything added topically to the soil. The average water savings from compost was 26 to 34 percent (Table 1; see References for list of studies), and from mulch was 19 to 39 percent. In general, the average water savings was 20 to 46 percent.<sup>1</sup>

When addressing water conservation in natural systems, there are many variables that play a role. Some of these variables are associated with the structure, flora, and fauna of the soil as well as external factors that affect these soil issues, such as air and water factors. These factors are outside of this analysis.

<sup>1</sup> All of the references are listed starting on page 8. There is a companion document, "WEGHG-3-Estimate Basis Reference Summary Final," that provides a brief summary of each of these references.

## Compost and Mulch Water Conservation & GHG Literature Review January 2015

**Table 1. Water savings by application type from water literature review.**

Type	No. Studies	Average minimum water savings	Average maximum water savings
Compost (Quantitative)	28	26%	34%
Compost (Qualitative)	19	All showed increase	All showed increase
Compost/Mulch (Quantitative)	1	15%	64%
Compost/Mulch (Qualitative)	1	All showed increase	All showed increase
Mulch (Quantitative)	28	19%	39%
Mulch (Qualitative)	27	All showed increase	All showed increase
<b>Total</b>	<b>104</b>	<b>20%</b>	<b>46%</b>

We further analyzed the water savings ability by landscape type (agriculture, urban farming, and native landscapes). Associated with erosion control for native landscapes, five studies demonstrated increases in soil available water. The one using mulch demonstrated water savings of less than ten percent (three to seven percent; Bhatt and Khera, 2006). The ones using compost demonstrated upwards of 100 percent increase in plant available water when incorporated into the soil (Curtis and Claassen, 2005; Greb et al, 1967; Illera et al, 1999; Bresson et al, 2001).

The two vineyard studies using compost as mulch (surface application), netted an increase in water savings of between 4 and 34 percent (Pinamonte, 1998; Buckerfield and Webster, 1995).

In landscape beds, incorporation of compost resulted in water savings of between 65 and 71 percent (Cogger et al, 2008).

The number of studies related to growing vegetables is significantly more extensive. There are a total of 18 studies with quantitative results (Adamtey et al, 2010; Adetunji, 1990; Ahmad et al, 2008; Bahadur et al, 2009; Edwards et al, 2000; El-Shaikh, 2008; Foley and Cooperband, 2002; Khurshid et al, 2006; Lal, 1974; Lal, 1978; Maynard and Hill, 1994; Mamo et al, 2000; Naeini and Cook, 2000; Nguyen et al, 2012; Ngoundo et al. 2007; Pervaiz et al, 2009; Sarkar et al, 2007; and Tolk et al, 1999). In general, the average water savings ranges from 39 to 46 percent (Table 2). Half of these studies are associated with growing corn using either compost or mulch applications. Greater water savings are demonstrated in the compost usage with corn with an average of 37 to 49 percent water savings versus 9 to 16 percent in the mulched systems.

## Compost and Mulch Water Conservation & GHG Literature Review January 2015

**Table 2. Water savings by crop type from water literature review.**

Crops	No. Studies	Minimum water savings	Maximum water savings
Corn (Compost)	4	37%	49%
Cabbage (Compost)	1	65%	71%
Tomatoes (Compost)	1	22%	26%
Vegetables (General; Compost)	2	19%	41%
Corn (Mulch)	5	9%	16%
Cucumbers (Mulch)	1	63%	73%
Lettuce (Mulch)	1	100%	100%
Okra (Mulch)	1	30%	30%
Potatoes (Mulch)	1	7%	10%
Rapeseed (Mulch)	1	37%	45%
Total/average (Compost):	8	36%	46.7%
Total/average (Mulch):	10	41%	45.7%
Total/Total average (All):	18	39%	46%

While these data are suggestive of the ability of compost and mulch to save significant amounts of water by greatly increasing the PAW with increasing soil organic matter (OM) from less than one percent to greater than five percent by mass (g OM/kg total soil mass), it is not prescriptive of how much water can be saved for all cultivation applications and variables. It follows from this reduced need for water that both reduced irrigation needs and increased aquifer recharge can be achieved on California's managed lands through the use of compost and mulch.

In turn, significant energy savings, and reduction of greenhouse gas emissions can be achieved. Energy can be saved in terms of reducing irrigation and transportation of water needs, which in turn can reduce greenhouse gas emissions from fossil fuels used to power the transportation of water. When applied to rangelands, which comprise over 60 percent of California's approximately 100 million acres ([http://www.caenvirothon.com/?page\\_id=859](http://www.caenvirothon.com/?page_id=859)), it has also been demonstrated that carbon dioxide can be sequestered. In studies conducted by the Marin Carbon Project in conjunction with UC Berkeley, they determined for rangelands where cattle are able to graze native grasses post-application of compost that: "Conservatively, one tonne of carbon (3.67 tonnes of CO<sub>2</sub>e) is sequestered per hectare per year for each of 20 years following the initial compost application, assuming good grazing practices. This is 1.5 tons of CO<sub>2</sub>e per acre, per year for 20 years, or 30 tons/acre over that time frame." (Ryals and Silver, 2013; DeLonge et al., 2013).

# Compost and Mulch Water Conservation & GHG Literature Review January 2015

## References

Hudson, B.D. 1994. Soil organic matter and available water capacity. *Journal of Soil and Water Conservation*, 49(2), 189–194.

DeLonge, M.S., R. Ryals, and W.L. Silver. 2013. A lifecycle model to evaluate carbon sequestration potential and greenhouse gas dynamics of managed grasslands. *Ecosystems*. 16: 963-979.

Franzluebbers, A.J. 2010. Will we allow soil carbon to feed our needs? *Carbon Management*, 1(2), 237–251. doi: 10.4155/cmt.10.25

Ryals, R. and W.L. Silver. 2013. Effects of organic matter amendments on net primary productivity and greenhouse gas emissions in annual grasslands. *Ecological Applications*. 23: 49-59.

## Compost and Mulch Water Conservation & GHG Literature Review January 2015

### References: for Water Conservation Using Mulch or Compost

- 1 Adamtey, N., O. Cofie, K.G. Ofosu-Budu, J. Ofosu-Anim, K.B. Laryea and D. Forster. 2010. Effect of N-enriched co-compost on transpiration efficiency and water-use efficiency of maize (*Zea mays* L.) under controlled irrigation. *Agricultural Water Management*. 97(7): 995-1005.
- 2 Adetunji, I.A. 1990. Effect of Mulches and Irrigation on Growth and Yield of Lettuce in Semi-arid Region. *Biotronics*. 19:93-98.
- 3 Agassi, M., G.J. Levy, A. Hadas, Y. Benyamini, H. Zhevelev, E. Fizik, M. Gotessman, and N. Sasson. 2004. Mulching with composted municipal solid wastes in Central Negev, Israel: I. effects on minimizing rainwater losses and on hazards to the environment. *Soil & Tillage Research* 78 (2004) 103–113.
- 4 Aggelides, S.M. and P.A. Londra. 2000. Effects of compost produced from town wastes and sewage sludge on the physical properties of a loamy and a clay soil. *Bioresource Technology* 71 (2000) 253-259.
- 5 Ahmad, R., A. Hhalid, M. Arshad, Z. Zahir and T. Mahmood. 2008. Effect of compost enriched with N and L-tryptophan on soil and maize. *Agron. Sustain. Dev.* 28: 299–305.
- 6 Albaladejo, J., J. Lopez, C. Boix-Fayos, G.G. Barbera, and M. Martinez-Mena. 2008. Long-term Effect of a Single Application of Organic Refuse on Carbon Sequestration and Soil Physical Properties. *J. Environ. Qual.* 37: 2093–2099.
- 7 Anabayan, K, and S.P. Palaniappan. 1991. "Effect of application of coir compost, enriched farm yard manure and an hydrophilic polymer on soil moisture content, growth and yield of rainfed sorghum in association with *Azospirillum*," *Journal of Agronomy and Crop Science*, 166, 112-116.
- 8 Bahadur, A., K.P. Singh, A. Rai, A. Verma, M. Rai. 2009. Physiological and yield response of okra (*Abelmoschus esculentus*) to irrigation scheduling and organic mulching. *Indian Journal of Agricultural Sciences*. 79(10): 813-815.
- 9 Barzegar, A.R., A. Yousefi, and A. Daryashenas. 2002. The effect of addition of different amounts and types of organic materials on soil physical properties and yield of wheat. *Plant and Soil* 247: 295–301, 2002.
- 10 Bengston, G.W. and J.J. Cornette. 1973. Disposal of Composted Municipal Waste in a Plantation of Young Slash Pine: Effects on Soil and Trees. *Journal of Environmental Quality*. 2(4): 441-444.
- 11 Bezborodov, G.A., D.K. Shadmanov, R.T. Mirhashimov, T. Yuldashev, A.S. Qureshi., and A.D. Noble. 2010. Mulching and water quality effects on soil salinity and sodicity dynamics and cotton productivity in Central Asia. *Agriculture, Ecosystems and Environment*. 138(2010): 95-102.
- 12 Bhatt, R. and K.L. Khera. 2006. Effect of tillage and mode of straw mulch application on soil erosion in the submontaneous tract of Punjab, India. *Soil & Tillage Research* 88 (2006) 107–115.
- 13 Bresson, L.M., C. Koch, Y. Le Bissonnais, E. Barriuso and V. Lecompte. 2001. Soil Surface Structure Stabilization by Municipal Waste Compost Application. *Soil Sci. Soc. Am. J.* 65:1804–1811.

## Compost and Mulch Water Conservation & GHG Literature Review January 2015

- 14 Bristow, K.L. and D.G. Abrecht. 1989. The Physical Environment of Two Semi-arid Tropical Soils with Partial Surface Mulch Cover. *Aust. J. Soil Res.* 27:577-587.
- 15 Brown, S., K Kurtz, A. Bary, and C. Cogger. 2011. Quantifying Benefits Associated with Land Application of Organic Residuals in Washington State. *Environmental Science & Technology.* 45(17): 7451-7458.
- 16 Buckerfield J.C., Webster K.A. 1995. Earthworms, mulching, soil moisture and grape yields: earthworm response to soil management practices in vineyards, Barossa Valley, South Australia. *Australian and New Zealand Wine Industry J.* 11:47-53.
- 17 Celik, I., I. Ortas, and S. Kilic. 2004. Effects of compost, mycorrhiza, manure and fertilizer on some physical properties of a Chromoxerert soil. *Soil & Tillage Research* 78 (2004) 59–67.
- 18 Choi, H.S., C. Rom and J. McAfee, 2005. Effects of different organic mulch on soil physical characteristics and leaf nutrition in apple orchards. *HortScience*, 40: 1027.
- 19 Civeira, G. 2010. Influence of Municipal Solid Waste Compost on Soil Properties and Plant Reestablishment in Peri-urban Environments.
- 20 Clark, G.A., C.D. Stanley, and D.N. Maynard. 2000. Municipal Solid Waste Compost (MSWC) as a Soil Amendment in Irrigated Vegetable Production. *Transactions of the American Society of Agricultural Engineers.* 43(4): 847-853.
- 21 Cogger, C., R. Hummel, J. Hart, and A. Barry. 2008. Soil and Redosier Dogwood Response to Incorporated and Surface-applied Compost. *HortScience.* 43(7): 2143-2150.
- 22 Crisp, P., G. Baker and S. Wheeler. 2011. Agronomic outcomes of IPM control of citrus thrips in Riverland soils. *Integrated Control in Citrus Fruit Crops.* IOBC/wprs Bulletin Vol. 62:275-283.
- 23 Crisp, P., G. Baker, and S. Wheeler. 2014. Agronomic and Sustainability Outcomes from Compost Application in South Australian Citrus Orchards. *Acta Horticulturae.* 1018 (25 January 2014): 457-464.
- 24 Curtis, M.J. and V.P. Claassen. 2005. Compost Incorporation Increases Plant Available Water in a Drastically Disturbed Serpentine Soil. *Soil Science.* 170(12): 939-953.
- 25 Downer, J. and D. Hodel. 2001. The effects of mulching on establishment of *Syagrus romanzofana* (Cham.) Becc., *Washingtonia robusta* H. Wendl. and *Archontophoenix cunninghamiana* (H. Wendl.) H. Wendl. & Drude in the landscape. *Scientia Horticulturae.* 87:85-92.
- 26 Edwards, L., J.R. Burney, G. Richter, and A.H. MacRae. 2000. Evaluation of compost and straw mulching on soil-loss characteristics in erosion plots of potatoes in Prince Edward Island, Canada. *Agriculture, Ecosystems and Environment.* 81: 217-222.
- 27 Egrinya Eneji, A., S. Inanaga, X. Li, P. An, J. Li, L. Duan, and Z. Li. 2008. Effectiveness of mulching vs. incorporation of composted cattle manure in soil water conservation for wheat based on eco-physiological parameters. *Journal of Agronomy and Crop Science.* 194(1): 26-33.
- 28 El-Shaikh, A. and T. Fouda. 2008. Effect of Different Mulching Types on Soil Temperature and Cucumber Production Under Libyan Conditions. *Misr J. Ag Eng.* 25(1): 160-175.
- 29 Eneji, A.E., S. Inanaga, X. Li, P. An, J. Li, L. Duan, and Z. Li. 2008. Effectiveness of Mulching vs. Incorporation of Composted Cattle Manure in Soil Water Conservation for Wheat Based on Eco-Physiological Parameters. *J. Agronomy & Crop Science.* 26-33.

## Compost and Mulch Water Conservation & GHG Literature Review January 2015

- 30 Epstein E. 1975. Effect of sewage sludge on some soil physical properties. *J. Env. Qual.* 4(1): 139-142.
- 31 Epstein, E., J.M. Taylor, and R.L. Chaney. 1976. Effects of Sewage Sludge and Sludge Compost Applied to Soil on some Soil Physical and Chemical Properties. *J. Environ. Qual.*, 5(4): 422-426.
- 32 Eusufzai, M. and K. Fujii. 2012. Effect of Organic Matter Content on Hydraulic and Pore Characteristics of a Clay Loam Soil. *Open Journal of Soil Science*, 2012, 2, 372-381.
- 33 Foley, B.J. and L.R. Cooperband. 2002. Paper Mill Residuals and Compost Effects on Soil Carbon and Physical Properties. *J. Environ. Qual.* 31: 2086-2095.
- 34 Gagnon, B., Simard, R.R., Goulet, M., Robitaille, R. and Rioux, R. (1998) Soil nitrogen and moisture as influenced by composts and inorganic fertilizer rate. *Canadian Journal of Soil Science.* 78: 207-215.
- 35 Giusquiani, P.L., M. Pagliai, G. Gigliotti, D. Businelli, and A. Benetti. 1995. Urban waste compost: Effects on physical, chemical and biochemical soil properties. *J. Environ, Qual.* 24:175-182.
- 36 Granatstein, D. and K. Mullinix. 2008. Mulching options for Northwest organic and conventional orchards. *HortScience.* 43(1): 45-50.
- 37 Greb, B.W., Smika, D.E., and Black, A.L. 1967. Effect of Straw Mulch Rates on Soil Water Storage During Summer Fallow in the Great Plains. *Soil Sci. Soc. Am. Proc.* 31: 556–559.
- 38 Gruda, N. 2008. The Effect of Wood Fiber Mulch on Water Retention, Soil Temperature and Growth of Vegetable Plants. *Journal of Sustainable Agriculture.* 32(4): 629-643.
- 39 Hortenstine, C.C. and Rothwell, D.F. 1973. Pelletized municipal waste refuse compost as a soil amendment and nutrient source for sorghum. *J. Environ. Qual.* 2:343-344.
- 40 Huang, Y.L., Chen, L.D., Fu, B.J., Huang, Z.L., Gong, E., 2005. The wheat yields and water-use efficiency in the Loess Plateau: straw mulch and irrigation effects. *Agricultural Water Management* 72 (3), 209–222.
- 41 Iles, J.K. and M.S. Dosmann. 1999. Effect of Organic and Mineral Mulches on Soil Properties and Growth of Fairview Flame Red Maple Trees. *Journal of Aboriculture.* 25(3): 163-167.
- 42 Illera V., Walter I., Cuevas G. and Cala V. 1999 Biosolid and municipal solid waste effects on physical and chemical properties of a degraded soil. *Agrochimica* 43:178-86.
- 43 Jamroz, E., Drozd, J., 1999. Influence of applying compost from municipal wastes on some physical properties of the soil. *International Agrophysics* 13, 167–170.
- 44 Ji, S. and P.W. Unger. 2001. Soil Water Accumulation under Different Precipitation, Potential Evaporation, and Straw Mulch Conditions. *Soil Sci. Soc. Am. J.* 65: 442-448.
- 45 Johnson G.A., Qian Y.L., Davis J.G. (2009): Topdressing Kentucky bluegrass with compost increases soil water content and improves turf quality during drought. *Compost Science and Utilization*, 17: 95–102.
- 46 Kar, G., Singh, R., 2004. Soil Water Retention—Transmission Studies and Enhancing Water Use Efficiency of Winter Crops Through Soil Surface Modification. *Indian Journal of Soil Conservation.* 8, 18–23.
- 47 Khaleel, R., K.R. Reddy, and M.R. Overcash. 1981. Changes in Soil Physical Properties Due to Organic Waste Applications: A Review. *J. Environ. Qual.*, 1(2): 133-141.

## **Compost and Mulch Water Conservation & GHG Literature Review January 2015**

- 48 Khan, S. and K.S. Sarwar. 2002. Effect of Water-hyacinth Compost on Physical, Physico-chemical Properties of Soil and on Rice Yield. *Pakistan Journal of Agronomy*. 1(2-3): 64-65.
- 49 Khurshid, K., M. Iqbal, M.S. Arif, and A. Nawaz. 2006. Effect of Tillage and Mulch on Soil Physical Properties and Growth of Maize. *International Journal of Agriculture and Biology*. 8(5): 593-596.
- 50 Kirchoff, C., J.F. Malina, and M. Barrett. 2003. Characteristics of Compost: Moisture Holding and Water Quality Improvement. Center for Transportation Research, University of Texas at Austin. CTR Research Report 0-4403-2, August 2003. 145 pp.
- 51 Kokkora, M.I. 2008. Biowaste and vegetable waste compost application to agriculture. PhD Thesis, Cranfield University. March 2008.
- 52 Kraus, H.T. 1998. Effects of Mulch on Soil Moisture and Growth of Desert Willow. *HortTechnology*. 8(4): 588-590.
- 53 Kreft, D. 1987. Soil Physical Properties as Influenced by the Addition of Municipal Compost. Masters Thesis, University of Minnesota. 108 pp.
- 54 Lal, R. 1978. Influence of Within-and Between-Row Mulching on Soil Temperature, Soil Moisture, Root Development and Yield of Maize (*Zea Ma Ys L.*) in a Tropical Soil. *Field Crops Research*. 1 (1978): 127-139.
- 55 Lal, R., 1974. Soil temperature, soil moisture and maize yield from mulched and unmulched tropical soils. *Plant Soil*. 40: 129–143.
- 56 Larsson, L. and A. Bath. 1996. Evaluation of Soil Temperature Moderating and Moisture Conserving Effects of Various Mulches during a Growing Season. *Acta Agriculturae Scandinavica, Section B — Soil & Plant Science*. 46(3): 153-160.
- 57 Litzow, M. and H. Pellett. 1983. Influence of Mulch Materials on Growth of Green Ash. *Journal of Arboriculture*. 9(1): 7-11.
- 58 Mamo, M., J.F. Moncrief, C.J. Rosen, and T.R. Halbach. 2000. The Effect of Municipal Solid Waste Compost Application on Soil Water and Water Stress in Irrigated Corn. *Compost Science & Utilization*. 8(3): 236-246.
- 59 Maynard, A.A. and D. E. Hill. 1994. Impact of compost on vegetable yields. *Biocycle*. 35(3): 66-67.
- 60 Mays, D.A., G.L. Terman, and J.C. Duggan. 1973. Municipal Compost: Effects on Crop Yields and Soil Properties. *J. Environ. Quality*. 2(1): 89-92.
- 61 McMillen, M. 2013. The Effect of Mulch Type and Thickness on the Soil Surface Evaporation Rate. California Polytechnic State University, San Luis Obispo.
- 62 Menge, J; Faber, B; Downer, J; Crohn, D. 1999. Compost Demonstration Project, Southern California: Use of Yard Trimmings and Compost on Citrus and Avocado. UCR+Cooperative Extension/CalRecycle.
- 63 Morris, J. and J. Bagby. 2008. Measuring environmental value for natural lawn and garden care practices. *International Journal of Life Cycle Assessment*. 13(3): 226-234.
- 64 Mulumba, L.N. and R. Lal. 2008. Mulching effects on selected soil physical properties. *Soil and Tillage Research*. 98 (2008) 106-111.
- 65 Mylavarapu, R.S., G.M. Zinati. 2009. Improvement of soil properties using compost for optimum parsley production in sandy soils. *Scientia Horticulturae*. 120: 426-430.

## Compost and Mulch Water Conservation & GHG Literature Review January 2015

- 66 Ngoundo, M., Chun-E. Kan, Yu-chuan Chang, Shioh-Long Tsai and I. Tsou. 2007. Options for water saving in tropical humid and semi-arid regions using optimum compost application rates. *Irrigation and Drainage*. 56: 87-98.
- 67 Nguyen, T.T., S. Fuentes and P. Marschner. 2012. Effects of compost on water availability and gas exchange in tomato during drought and recovery. *Plant Soil Environ*. 58(11): 495-502.
- 68 Oliveira, M.T., I.A. Merwin. 2001. Soil physical conditions in a New York orchard after eight years under different groundcover management systems. *Plant and Soil*. 234: 233-237.
- 69 Omran, W.M., S.A. Hassan and M.A. Fadl. 2013. Benefit from Agricultural Waste to Improve the Properties of Desert Land and Resist Environmental Pollution. *Life Science Journal*. 10(1): 3457-3465.
- 70 Pandey, C. and Shuckla, S. 2006. Effects of composted yard waste on water movement in sandy soil. *Compost Science and Utilization*. 14 (4): 252-259.
- 71 Pervaiz, M.A., M. Iqbal, K. Shahzad, and Anwar-Ul-Hassan. 2009. Effect of Mulch on Soil Physical Properties and N, P, K Concentration in Maize (*Zea mays*) Shoots under Two Tillage Systems. *International Journal of Agriculture & Biology*. 11:119-124.
- 72 Pickering, J.S., A.D. Kendle, and P. Hadley. 1998. The Suitability of Composted Green Waste as an Organic Mulch: Effects on Soil Moisture Retention and Surface Temperature. *Acta Hort* 469: 319-324.
- 73 Pinamonti, F. 1998. Compost mulch effects on soil fertility, nutritional status and performance of grapevine. *Nutrient Cycling in Agroecosystems*. 51: 239-248.
- 74 Ramakrishna, A., H.M. Tam, S.P. Wani and T.D. Long, 2006. Effect of mulch on soil temperature, moisture, weed infestation and yield of groundnut in northern Vietnam. *Field Crops Res.*, 95: 115-125.
- 75 Rathore, A.L., A.R. Pal, and K.K. Sal. 1998. Tillage and Mulching Effects on Water Use, Root Growth and Yield of Rainfed Mustard and Chickpea Grown after Lowland Rice. *J Sci Food Agric*. 78: 149-161.
- 76 Rinaldi, M., Rana, G., Introna, M. 2000. Effects of partial cover of durum wheat straw on soil evaporation in a semi-arid region. *Acta Horticulturae*. 537: 159-165.
- 77 Naeini, S.A.R. Movahedi, and Cook, H.F.. 2000. Influence of municipal compost on temperature, water, nutrient status and the yield of maize in a temperate soil. *Soil Use and Management* 16: 215-221.
- 78 Sabrah R.E.A., H.M.A. Magid, S.I. Abdel-A, and R.K. Rabie. 1995. Optimizing physical properties of a sandy soil for higher productivity using town refuse compost in Saudi Arabia. *J. Arid Environ*. 29: 253-262.
- 79 Sarkar, S., Paramanick, M., Goswami, S.B. 2007. Soil temperature, water use and yield of yellow sarson (*Brassica napus* L. var. glauca) in relation to tillage intensity and mulch management under rainfed lowland ecosystem in eastern India. *Soil Till. Res*. 93: 94-101.
- 80 Serra-Wittling, C., S. Houot, and E. Barriuso. 1996. Modification of Soil Water Retention and Biological Properties by Municipal Solid Waste Compost. *Compost Science & Utilization*. 4(1): 44-52.

## **Compost and Mulch Water Conservation & GHG Literature Review January 2015**

- 81 Sharma, G and A. Campbell. 2003. "Life cycle inventory and life cycle assessment for windrow composting systems," Recycled organics unit, New South Wales Department of Environment and Conservation, Sydney, NSW, Australia.
- 82 Shaw, D., D. Pittenger and M. McMaster. 2005. Water Retention and Evaporative Properties of Landscape Mulches. Proc. 26th Annl. Irrigation Show, Phoenix, AZ, Nov. 6-8, 2005. Irrig. Assoc., Falls Church, VA. 134-144.
- 83 Shearman R.C., Steinegger D.H., Kinbacher E.J., Riordan T.P. 1979. A comparison of turfgrass clippings, oat straw, and alfalfa as mulching material. J. Amer. Soc. Hort. Sci. 104: 461-463.
- 84 Singer, C.K. and C.A. Martin. 2008. Effect of Landscape Mulches on Desert Landscape Microclimates. Arboriculture & Urban Forestry. 34(4): 230-237.
- 85 Singer, J., R. Malone, M. Tomer, T. Meade, and J. Welch. 2006. Compost effect on water retention and native plant establishment on a construction embankment. Journal of Soil and Water Conservation. 61(5): 268-273.
- 86 Smith, A.M. and D.K. Rakow. 1992. Strategies for Reducing Water Input in Woody Landscape Plantings. Journal of Arboriculture. 18(4): 165-170.
- 87 Stroosnijder, L. 2009. Modifying land management in order to improve efficiency of rainwater use in the African highlands. Soil and Tillage Research. 103(2): 247-256.
- 88 Tamas, L. and T. Buban. 2000. Effectiveness of Different Groundcover Materials to Preserve Soil Water Content in a Young Apple Orchard. Proceeds of the Int. Conf. on Integrated Fruit Production. Acta Hort. 525: 425-426.
- 89 Tester, C.F. 1990. Organic Amendment Effects on Physical and Chemical Properties of a Sandy Soil. Soil Sci. Soc. Am. J. 54: 827-831.
- 90 Tilander, Y. and Bonzi, M. 1997. Water and nutrient conservation through the use of agroforestry mulches, and sorghum yield response. Plant and Soil. 197: 219-232.
- 91 Tolk, J.A., T.A. Howell and S.R. Evett, 1999. Effect of mulch, irrigation and soil type on water use and yield of maize. Soil Till. Res. 50: 137-147.
- 92 Unger, P. 1986. Wheat Residue Management Effects on Soil Water Storage and Corn Production. Soil Sci. Soc. Am. J. 50: 764-770.
- 93 Unger, P. W. 1976. Surface residue, water application and soil texture effects on water accumulation. Soil Sci. Soc. Am' Proc' 40: 298-300.
- 94 Unger, P. W. and R. Jones (1981). Effect of soil water content and a growing season straw mulch on grain sorghum. J. Soil Sci. Soc. Am. 45(1): 129.
- 95 Unger, P.W. and J.J. Parker. 1976. Evaporation reduction from soil with wheat, sorghum, and cotton residues. Soil Sci. Soc. Am. J. 40: 938-942.
- 96 Unger, P.W., 1978. Straw-mulch rate effect on soil water storage and sorghum yield. Soil Sci. Soc. Am. J. 42: 486-491.
- 97 Uwah, D.F. and G.A. Iwo. 2011. Effectiveness of Organic Mulches on the Productivity of Maize (*Zea Mays L.*) and Weed Growth. The Journal of Animal & Plant Sciences. 21(3): 525-530.
- 98 van Donk, S.J., D.T. Lindgren, D.M. Schaaf, J.L. Petersen and D.D. Tarkalson. 2011. Wood chip mulch thickness effects on soil water, soil temperature, weed growth and landscape plant growth. Journal of Applied Horticulture. 13(2): 91-95.

## **Compost and Mulch Water Conservation & GHG Literature Review**

### **January 2015**

- 99 Van Nierop, E.T. and D.P. White. 1958. Evaluation of Several Organic Mulching Materials on a Sandy Loam Forest Nursery Soil. *Journal of Forestry*. 23-27.
- 100 Walsh, B.D., S. Salmins, D.J. Buszard and A.F. MacKenzie. 1996. Impact of soil management systems on organic dwarf apple orchards and soil aggregate stability, bulk density, temperature and water content. *Canadian Journal of Soil Science*. 76(2): 203-209.
- 101 Walsh, B.D., S. Salmins, D.J. Buszard, and A.F. MacKenzie. 2006. Impact of soil management systems on organic dwarf apple orchards and soil aggregate stability, bulk density, temperature and water content. *Can. J. Soil Sci.*
- 102 Wanas, Sh.A. and W.M. Omran. 2006. Advantages of Applying Various Compost Types to Different Layers of Sandy Soil\_1-Hydro-physical Properties
- 103 Watson, G.W. 1998. Organic Mulch and Grass Competition Influence Tree Root Development. *Journal of Arboriculture*. 14(8): 200-203.
- 104 Weber, J. A. Karczewska, J. Drozd, M. Licznar, S. Licznar, E. Jamroz, A. Kocowicz. 2007. Agricultural and ecological aspects of a sandy soil as affected by the application of municipal solid waste composts. *Soil Biology & Biochemistry* 39: 1294–1302.
- 105 Weindorf, D. C., R.E. Zartman and B.L. Allen. 2006. Effect of Compost on Soil Properties in Dallas, Texas. *Compost Science and Utilization*. 14(1): 59-67.
- 106 Zebarth, B.J., G.H. Neilsen, E. Hogue, and D. Neilsen. 1999. Influence of organic waste amendments on selected soil physical and chemical properties. *Canadian Journal of Soil Science*. 79: 501–504.
- 107 Zhang, S., Lovdahl, L., Grip, H., Tong, Y., Yang, X., Wang, Q., 2009. Effects of mulching and catch cropping on soil temperature, soil moisture, and wheat yield on the loess Plateau of China. *Soil and Tillage Research* 102, 78–86.

## Compost and Mulch Water Conservation & GHG Literature Review January 2015

---

<sup>i</sup> From Berman (1994), “For the last 50 years, the consensus view among researchers has been that organic matter (OM) has little or no effect on the available water capacity (AWC) of soil. The historical development of this viewpoint is traced. It is argued that the literature on this subject has been misconstrued and that the consensus view is wrong. In addition to a critical review of the literature, published data were evaluated to assess the effect of OM content on the AWC of surface soil within three textural groups. Within each group, as OM content increased, the volume of water held at field capacity increased at a much greater rate (average slope = 3.6) than that held at the permanent wilting point (average slope = 0.72). As a result, highly significant positive correlations were found between OM content and AWC for sand ( $r^2 = 0.79^{***}$ ), silt loam ( $r^2 = 0.58^{***}$ ) and silty clay loam ( $r^2 = 0.76^{***}$ ) texture groups. In all texture groups, as OM content increased from 0.5 to 3%, AWC of the soil more than doubled. Soil OM is an important determinant of AWC because, on a volume basis, it is a significant soil component. In this study, one to 6% OM by weight was equivalent to approximately 5 to 25% by volume.”

<sup>ii</sup> Using the above data, combined with other information it is found that: “As the soil carbon (or organic matter) increases by four times [one to four percent OM, or soil organic carbon 1g/kg to 4g/kg soil], the plant available water increases by 2.2 to 2.5 times. [Depending on the starting soil type, from sands or silt loams].” (<http://irrigatedag.wsu.edu/soil-organic-matter-boosts-water-holding-capacity/>)